



# Foreign Comparative Testing (FCT) Program Overview

*Gerry Tighe*  
*Director, International Prototypes & Experiments (IP&E)*

**CLEARED  
For Open Publication**

**Aug 23, 2021**

**Department of Defense  
OFFICE OF PREPUBLICATION AND SECURITY REVIEW**

**SLIDES ONLY  
NO SCRIPT PROVIDED**



# International Partnership

## Strategic Opportunity

- US and Allies modernizing forces with orientation toward near-peer competition
- Allies devoting R&D resources to modernize their military capabilities in similar priority areas
- Cooperative, structured US and partner nation R&D will maximize modernization, increase interoperability, and reduce vulnerabilities

## Solutions

Distribution A – Approved for Public Release Case 21-S-2675

### Foreign Comparative Testing (FCT):

- Find, assess, and field mature foreign technologies to deliver affordable, near-term solutions to satisfy capability gaps, enhance lethality, and increase readiness
- US Gov-to-Foreign Industry technology evaluation executed under a contract


### International Prototyping:

- USD (R&E) continues to identify opportunities for international partnerships in support of the NDS and modernization efforts and aligned to critical needs of the US and Partner Nations

***Strengthening Partnerships to deliver operational capability***



# Organization



**Foreign Comparative Testing (FCT) is managed by International Prototypes and Experiments (IP&E) within OUSD(R&E)**



# Foreign Comparative Testing

**Mission:** Find, Assess & Field World-Class Technologies to Enhance Military Capabilities and Provide Long-Term Value

- **Technologies should present:**
  - Significant cost savings resulting in positive ROI
  - Significant performance enhancements
  - Significant schedule savings resulting in earlier fielded capability
  - Novel, Innovative approaches
- **Connects Foreign Technologies to U.S. DoD Development and Acquisition Programs**
- **Strengthens alliances by sourcing world-class solutions to shared defense problems through "2-way street" of defense procurement**

***OSD Selects & Funds Projects. The Military Services & USSOCOM Execute Projects.***



# USD(R&E) Modernization Priorities

- **FCT project alignment**

- Supports national strategies, readiness and joint lethality in contested environments
- Technologies satisfying urgent operational needs on a relevant fielding schedule
- Technologies providing significant life-cycle cost savings



- **Aligns with OUSD(R&E) Modernization Priorities\*:**

- Trusted Artificial Intelligence & Autonomy
- Biotechnology
- Quantum Science
- Integrated Network Systems-of-Systems
- Integrated Sensing & Cyber

- Microelectronics
- Human Machine Interfaces
- Hypersonics
- Future G (beyond 5G)
- Space Technology

- Advanced Computing & Software
- Directed Energy
- Advanced Materials
- Renewable Energy Generation & Storage

\* <https://www.cto.mil/modernization-priorities/>





# FCT Progress - Last 40+ Years

## The Search for the World's Best

To date, FCT has partnered with 34 Countries



- **OSD investment: \$1.42 Billion (constant FY20\$)**
  - Procurement of 281 projects worth over \$11B
- **Accelerates Fielding an Average of 2–4 Years**
  - Vice starting a new U.S. defense Research & Development program
- **Enhances U.S. Industrial Base**
  - Foreign vendors, 34 countries, teaming with U.S. industry
  - 39 states & 1/3 of projects procured
- **Average project – \$500-700K/year, 18-24 months**
  - Review 100's of technologies
  - 10 – 15 new starts/year



# FCT Project Breakout by Service



Total # Projects Funded = 819

- Army 29.0 % projects
- Navy/USMC 40.8 % projects
- Air Force/Space Force 19.0 % projects
- Special Operations Command 11.0 % projects
- Other 0.2 % projects



Total # Projects Transitioned = 287

- Army 28.6 % projects
- Navy/USMC 37.6 % projects
- Air Force/Space Force 18.1 % projects
- Special Operations Command 15.3 % projects
- Other .3 % projects



**U.S. Military Services & USSOCOM Propose & Execute Projects**




# FCT Evaluation Options

Developmental  
Prototype  
(TRL 6)



Operational  
Prototype  
(TRL 7)



Qualification Test  
(TRL 8-9)



Assessment

Transition/  
Procurement


Technology Readiness Level (TRL)

***FCT projects may be side-by-side comparative evaluations***



# FCT Process

## Selection Year



## Selection Criteria:

### OSD (Top Down)

- Joint Warfighting Concepts
- OSD Priorities/Focus Areas
- Joint Application
- Cost Avoidance/ Long Term Value

### Services (Bottom-Up)

- Mission Need
- Sponsor Support/Endorsement
- Risk (Cost/Schedule/Performance)
- Procurement Strategy

## Project Execution Years 1 & 2



***Expedited process available to respond to Emerging Operational Needs***



# Working with FCT

- *Product Template*
- *Marketing Materials*
- *Individual meetings with FCT (Virtual or in person)*
- *Trade shows, local conferences, e.g. AUSA, Modern Day Marine, Paris Air Show, CANSEC, Farnborough Air Show, etc.*
- *Industry days in the Washington, DC area (Virtually or in person)*
- *FCT Program Team international travel*

Distribution A – Approved for Public Release Case 21-S-2675



CANSEC



MODERN DAY  
MARINE



**Bring your most innovative systems and ideas**



# Send Us Your Product Information

## Product Template

- Product
- Company Name
- Country
- POC Information
- Website
- Technology Readiness Level
- Countries Using
- Application (So What?)
- Science (How It Works)
- Data (Key Performance Metrics)
- US Partners
- Previous Work w/ DoD

Available to download at <https://ac.cto.mil/pe/fct/>

### OSD Foreign Comparative Test – Product Template

**Product:** XX mm High Velocity (HV) Airburst Munitions System (ABMS)

**Company Name:** Advanced Systems (AS)

**Country:** Republic of Antarctica

**Point of Contact:** Mr. Jones

**Phone:** (555) 555-5555

**Website:** www.abcd.com

**Email:** abcd@abcd.com



**Short Description:** The HV ABMS consists of a Fire Control System, an Ammunition Programmer and XX x XX mm Air Burst Munitions. High explosive, Flash and Bang, Counter defilade, increased lethality, improved accuracy.

**Technology Readiness Level (fielded, lab tested, operational test):** TRL: 9 The HV ABMS is qualified and in production.

**Countries using the technology:** Madagascar, Dominican Republic, Greenland, etc.

**Application: (the so what?)** The HV ABM is specially designed to allow soldiers to effectively engage enemies in defilade and to provide improved accuracy and higher lethality through a technologically improved muzzle velocity compensation capability.

**Science (how it works):** Muzzle velocity compensation for the immediate round fired. The 40mm HV ABMS is an upgrade kit to existing launchers to provide Air Bursting Precision capability. The FCS accurately lazars the target and the ballistic card computes the time to burst. The computed time to burst based on the measured velocity is programmed into the fuze only upon exit at the ammunition programmer. Enhanced safety with its built-in self-destruct mode and gives ABM the ability to function as a point detonating HE cartridge as well as an Air-Burst cartridge.

#### **Data:**

- Grenade Length: XX mm • Weight : XXX gm
- Muzzle Velocity : XXX m/s • Maximum Range: XXXX m
- Lethal Radius : X m • Arming Distance : XX to XX m
- Fuze Type : Programmable Time Fuze

**U.S. Partner:** AS does not currently have a relationship with a US company.

**Previous work with DoD:** Technology developed through US DoD laboratory funding.

***Help us understand how your technology is Better, Affordable or Novel!***



# How to Get More Info

- **FCT Webpage – <https://ac.cto.mil/pe/fct/>**
  - Additional background information on FCT - No CAC needed – for this page
- **Contact the Security Cooperation Office / Attachés in the U.S. Embassy in your country**
- **Contact your Embassy in DC – Defense Attaché or the Trade / Science & Technology organization**

Distribution A – Approved for Public Release Case 21-S-2675



- **Contact FCT Program directly – either the main office or Service/SOCOM specific contacts given in this brief (slide 13)**

**Strengthening Partnerships - Delivering Operational Capability**



# Key Points of Contact

OSD	<u>FCT Office</u>		571-372-6803
	Gerry Tighe	<a href="mailto:gerard.p.tighe.civ@mail.mil">gerard.p.tighe.civ@mail.mil</a>	703-697-3984
	Mark Morgan	<a href="mailto:mark.j.morgan26.ctr@mail.mil">mark.j.morgan26.ctr@mail.mil</a>	571-372-6819
	Sean Hilber	<a href="mailto:sean.a.hilber.ctr@mail.mil">sean.a.hilber.ctr@mail.mil</a>	571-372-6822
	Manny Almanza	<a href="mailto:manuel.almanza.ctr@mail.mil">manuel.almanza.ctr@mail.mil</a>	703-693-5647
	Darius Watts	<a href="mailto:darius.y.watts.ctr@mail.mil">darius.y.watts.ctr@mail.mil</a>	571-372-6405
Army	<b>Mark C. Hassler II</b>	<a href="mailto:mark.c.hassler.civ@army.mil">mark.c.hassler.civ@army.mil</a>	410-322-1457
	<b>William “Randy” Everett</b>	<a href="mailto:william.r.everett.civ@army.mil">william.r.everett.civ@army.mil</a>	410-306-4824
	<b>Rino Imperiale</b>	<a href="mailto:rino.imperiale.civ@army.mil">rino.imperiale.civ@army.mil</a>	410-306-4828
Navy/USMC	Arthur Webb	<a href="mailto:arthur.webb@nrl.navy.mil">arthur.webb@nrl.navy.mil</a>	202-404-2552
	Mark Stoffel	<a href="mailto:mark.stoffel.ctr@navy.mil">mark.stoffel.ctr@navy.mil</a>	571-227-6905
	Lilia Ramirez	<a href="mailto:lilia.l.ramirez.ctr@navy.mil">lilia.l.ramirez.ctr@navy.mil</a>	703-405-1311
Air/Space Force	<b>William “Bill” Reed</b>	<a href="mailto:william.reed.11.ctr@us.af.mil">william.reed.11.ctr@us.af.mil</a>	571-215-8926
SOCOM	Gail Kemeliotis	<a href="mailto:gail.m.kemeliotis.ctr@socom.mil">gail.m.kemeliotis.ctr@socom.mil</a>	813-826-0192



# HISTORICAL EXAMPLES



# Naval Strike Missile (NSM)



Distribution A – Approved for Public Release Case 21-S-2675

## Cost

- FCT funds: \$0.100M; Sponsor (Navy) funds: \$3.9M

## Schedule

- Project approved on 3 September 2014
- Littoral Combat Ship (LCS) Demonstration occurred on 23 September 2014

## Testing

- On 23 September 2014, a single NSM was successfully fired from the flight deck of the USS Coronado (LCS-4)
- The test validated assumptions including targeting accuracy, range, and system operability

## Technology

- Highly survivable, anti-surface missile with a range of 100+ nm
- State-of-the-art design with low observable features
- Imaging Infrared seeker and onboard database capable of independent target detection, recognition, and discrimination
- Multi-purpose warhead with intelligent fuze

## History

- The Norwegian Naval Strike Missile's initial serial production contract was signed in June 2007. It was chosen by the Royal Norwegian Navy for its new frigates and patrolboats
- In 2008 the NSM was selected by the Polish for land-based missiles

## Transition

- In May 2018, the Navy awarded a \$14.8M contract for the initial procurement of NSM missiles and launchers for fielding on LCS and Future Frigates

## Benefits

- Fills a capability gap for the Navy's Over-the-Horizon Weapon System (OTH-WS)

## Other

- In response to emerging operational needs, additional FCT funds (\$2.550M) were provided to the Army for another successful demonstration of the NSM fired from a ground vehicle during the Rim of the Pacific Exercise in May 2018<sup>5</sup>



# Soldier Borne Sensor Systems



On-demand Situational Awareness for the Squad

## Cost

FCT funds: \$180K; Sponsor Army funds: \$180K

## Schedule

August 2016 initial test

Operational experimentation and demonstrations

May 2018 initial buy

## Testing Two pronged test methodology

- Technical performance across a number of domains including range, endurance and camera performance
- Operational experimentation to characterize the systems operational performance in representative environments including operational suitability and human factors issues

## Technology

The Squad currently does not have a UAS capability to develop Situational Awareness. Currently this is done through binoculars or sending a fire team to gain the Situational Awareness.

The SBS capability will allow the Squad to develop Situational Awareness in a variety of conditions on an ad hoc or preplanned basis reducing risk and increasing mission success.

## How Found?

Comparative testing and demonstration of six-vendor Systems tested for over the Hill Observation and Reconnaissance Recon. At the conclusion of the evaluation, the FIIR Black Hornet 3 met or exceeded all requirements and DEVCOM Soldier Center retained for additional research.

**Transition:** Natick Soldier Research, Development and Engineering Center (NSRDEC) will work with identified stakeholders to draft relevant technical and operational test plans. NSRDEC will then execute these test plans and write up reports. The knowledge products and hardware will be transitioned to Army Product Manager Soldier Maneuver Sensors (PdM SMS) as well as stakeholders from other interested services.

**Benefits:** By transitioning not only the hardware from this effort, but also our lessons learned, the PM executing the SBS PoR will be much better prepared to mitigate costs over the lifecycle of program.



# High Pressure Pure Air Generator



## Technology

- Integrated pure air compressor and filtration system which was designed to replace rechargeable gas bottles on aircraft for cryogenic missile seekercooling
- Draws in atmospheric air to provide a continuous supply of high pressure pure air, which results in unlimited mission duration and eliminates the logistics burden associated with gas bottles
- Generates gas within the launcher and reliably purifies it to the very highest standards
- Gas is always available 'on-demand' and the potential sources of contamination are eliminated

## Cost

- FCT funds: \$4.239M(FY87-FY00)

## Schedule

- Selected for FCT in 1986
- Demonstrated on USMCAH-1 Helicopter in 1987
- Demonstrated on Canadian CF-18 Aircraft in 1989
- Qualified for Navy Aircraft in 1994
- In service on USMC AV-8B Aircraft in 1997
- In service on Marine Corps AH-1 Helicopter in 1999
- In service on USMC F/A-18 C/D Aircraft in 2000
- In service on Navy F/A-18 E/F Aircraft in 2001

## Transition

- 3000+ HiPPAG 320 systems delivered to US Navy from 1997- 2018 for Sidewinder AIM-9 L/M missiles on US Navy and Foreign Military Sales aircraft including: AV-8B, F/A-18 C/D, F/A- 18 E/F, AH-1 and F-35

## Benefits

- Reduced maintenance and logistics costs by removing requirement for cryogenic cooling bottles
- Successful FCT tests led to other DoD Programs leveraging HiPPAG, replacing explosive cartridges for weapons ejection systems with improved safety and lower cost
- Over 9,000 HiPPAG systems delivered Worldwide, including: Small Diameter Bomb Rack F-15 & F-16 F-35 Weapons Ejection Systems



# APPENDIX

Distribution A – Approved for Public Release Case 21-S-2675



# Technology Readiness Levels\*

Technology Readiness Level	Description
1. Basic principles observed and reported.	Lowest level of technology readiness. Scientific research begins to be translated into applied research and development. Examples might include paper studies of a technology's basic properties.
2. Technology concept and/or application formulated.	Invention begins. Once basic principles are observed, practical applications can be invented. Applications are speculative and there may be no proof or detailed analysis to support the assumptions. Examples are limited to analytic studies.
3. Analytical and experimental critical function and/or characteristic proof of concept.	Active research and development is initiated. This includes analytical studies and laboratory studies to physically validate analytical predictions of separate elements of the technology. Examples include components that are not yet integrated or representative.
4. Component and/or breadboard validation in laboratory environment.	Basic technological components are integrated to establish that they will work together. This is relatively "low fidelity" compared to the eventual system. Examples include integration of "ad hoc" hardware in the laboratory.
5. Component and/or breadboard validation in relevant environment.	Fidelity of breadboard technology increases significantly. The basic technological components are integrated with reasonably realistic supporting elements so it can be tested in a simulated environment. Examples include "high fidelity" laboratory integration of components.
6. System/subsystem model or prototype demonstration in a relevant environment.	Representative model or prototype system, which is well beyond that of TRL 5, is tested in a relevant environment. Represents a major step up in a technology's demonstrated readiness. Examples include testing a prototype in a high-fidelity laboratory environment or in simulated operational environment.
7. System prototype demonstration in an operational environment.	Prototype near, or at, planned operational system. Represents a major step up from TRL 6, requiring demonstration of an actual system prototype in an operational environment such as an aircraft, vehicle, or space. Examples include testing the prototype in a testbed aircraft.
8. Actual system completed and qualified through test and demonstration.	Technology has been proven to work in its final form and under expected conditions. In almost all cases, this TRL represents the end of true system development. Examples include developmental test and evaluation of the system in its intended weapon system to determine if it meets design specifications.
9. Actual system proven through successful mission operations.	Actual application of the technology in its final form and under mission conditions, such as those encountered in operational test and evaluation. Examples include using the system under operational mission conditions.

\* Department of Defense, Technology Readiness Assessment (TRA) Guidance dated April 2011, Prepared by the Assistant Secretary of Defense for Research and Engineering, revised on 13 May 2011, pp 2-13, 2-14



# Questions



**Gerry Tighe**

**Director, International Prototypes and Experiments**

**(703) 697-3984**

**[gerard.p.tighe.civ@mail.mil](mailto:gerard.p.tighe.civ@mail.mil)**